


ALL GLASS SYSTEMS

## ALL GLASS SYSTEMS - HANDRAILS

**■ PRESSGLASS** 



#### ALL GLASS SYSTEMS - DOORS & SIDELITES

All Glass Systems are heat treated panes of monolithic or laminated glass which are customized for your interior and exterior needs. These aesthetic and unobtrusive custom enclosures provide the added advantage of safety, strength, and quality. Monolithic, laminated, and all other fabrication options can be applied in All Glass Systems to create a custom and one-of-a-kind product.

#### **DOOR & SIDELITE**

We offer complete all-glass entrance systems, which include sliding and swinging doors, sidelites, and glass partitions.


These door systems can be provided with your choice of panic hardware, locking or non-locking pulls, closers, locks, and rails or channels for sidelites. All systems are produced in either monolithic or laminated glass with various hardware finish options.






## ALL GLASS SYSTEMS - CONSTRUCTION VARIATIONS


#### **DOOR OPTIONS**









**BP DOORS** 



AGA DOORS



**NS DOORS** 




SLIDER










**ENTRANCE OPTIONS** 











Τ





Typical Entrance Configurations

Note: S=sidelite D=door T=transom



## **SIZE CHART:**

		Full Width Rails* (Type P)				Patch Fittings and/or Patch Rail Combinations			
	Glass Thickness	3/8"	1/2"	5/8″	3/4"	3/8"	1/2"	5/8"	3/4"
Concealed Overhead Closer	Width (in.)	36	42	36	36	36	42	36	36
	Height (in.)	84	108	102	84	84	102	96	84
	Glass Weight (lbs.)	105	202	207	206	105	191	195	206
Floor Closer	Width (in.)	36	42	48	48	36	42	42	36
	Height (in.)	84	108	114	120	84	102	102	108
	Glass Weight (lbs.)	105	230	308	392	105	191	241	265

 $<sup>{}^*\</sup>text{Guidelines as per the Glass Association of North America's Fully Tempered Heavy Glass Door and Entrance Systems Design Guide}\\$ 







# HARDWARE OPTIONS:

- Rails
- Patch Fittings
- Headers
- Pulls
- Closers
- Pivots

for more information please contact your local sales Representative.



We constantly modify our manufacturing processes and change habits to limit the negative



We make every effort to ensure that the presented publication contained current information as of the date of print.

Due to the continuous development of our product the range may differ from market to market. Product availability should always be confirmed with the Sales Department.

Our plants and products are audited or certified by acknowledged certification bodies:





