



Administrative Management Systems, Inc.  
 205 West Main Street, PO Box 730  
 Sackets Harbor, NY 13685  
 Phone: (315) 646-2234  
 Fax: (315) 646-2297  
 E-mail: staff@amscert.com



#0961  
 ISO/IEC 17065  
 Product Certification Body

## ACKNOWLEDGEMENT OF CERTIFICATION

THIS IS TO ACKNOWLEDGE THAT AS OF THIS DATE

**Press Glass, Inc.**  
**Ridgeway, VA**

IS A CURRENT LICENSEE AND HAS MET ALL GUIDELINES AND REQUIREMENTS FOR THE IGCC®/IGMA® CERTIFICATION PROGRAM AND AS SUCH IS ELIGIBLE TO LABEL THE BELOW INDICATED PRODUCT(S) AS IGCC®/IGMA® CERTIFIED. THE FOLLOWING ARE IN COMPLIANCE WITH ASTM E2190 FOR SEAL DURABILITY OF INSULATING GLASS UNITS AND PASSING GAS CONTENT INITIAL AND AFTER WEATHERING (GCIA) CERTIFICATION REQUIREMENTS AS INDICATED.

<u>CERT #</u>	<u>GLASS</u>	<u>SPACER</u>	<u>FRAME CONST.</u>	<u>DESICCANT</u>	<u>SEALANT</u>	<u>GCIA</u>	<u>IC</u>
5334	U/C2/U	SS/SS	BC4/GSLC	LF/LF	PIB/S2	Yes	
5335	U/C2/U	MA/MA	BC4/GSLC	LF/LF	PIB/S2	Yes	
5336	U/C2/U	PHSS/PHSS	BC4/GSLC	LF/LF	PIB/S2	Yes	
5397	U/C2	MA	BC4/GSLC	LF	PIB/S2	Yes	BA
5398	U/C2	PHSS	BC4/GSLC	LF	PIB/S2	Yes	BA
5399	U/C2	SS	BC4/GSLC	LF	PIB/S2	Yes	BA

THIS IGCC®/IGMA® PROGRAM CERTIFICATION IS CURRENT AND IN FULL EFFECT AS OF THIS ISSUE DATE. CERTIFICATION IN THE IGCC®/IGMA® PROGRAM IS SUBJECT TO SEMI-ANNUAL RENEWAL. PLEASE CHECK THE CURRENT CERTIFIED PRODUCTS DIRECTORY OR THIS OFFICE FOR MOST CURRENT INFORMATION.

Wednesday, January 24, 2024

DATE OF ISSUE

February 1, 2024 - January 31, 2025

CERTIFICATION PERIOD

  
 ADMINISTRATIVE MANAGER